

Leva 5 Outdoor trimless Recessed -



















code LV005P.935S/01





PRODUCT DESCRIPTION

Luminaire for integrated LED Chip On Board sources. Flush-mounted installation. Luminaire body in extruded painted aluminium white. Optical groups complete with LED chip on board, lens, anti-glare housing. Optical UGR<16.

PRODUCT SPECS

| Installation method | Trimless recessed |
|------------------------------|----------------------|
| Light source | LED |
| Absorbed power | 5x2,2 W |
| Color temperature | 3500K |
| Color rendering index CRI | >90 |
| Optic | Spot |
| Finishing | White |
| Luminous flux of the product | 1090 lm |
| Luminous efficiency | 99 lm/W |
| MacAdam color tolerance | 2 |
| Life time estimate | 50000h Ta 25° L90B10 |
| Energy efficiency class | E |
| Weight | 0.10 Kg |
| Dimension | L150xW27xH60 mm |
| IP Grade | lp56 |
| Protection Class | Class III appliance |
| Product Spec | Rectangular shape |
| Power supply/Transformer | Not included |
| Protocol | See power supply |

WEB PAGE



ASSEMBLY



Complies with EN605981 and related notes. In the absence of metric symbols, the measurements are all in millimetres. Luminous flux and power data are initially subject to tolerances +/- 10%. The values refer to an ambient temperature of 25°C unless otherwise specified. We reserve the right to make changes to our products at any time.

MANDATORY ACCESSORIES

Accessories Leva Trimless box 5



code LV005A

Trimless recessed indoor wallbox for false ceiling



OPTIONAL ACCESSORIES

Wallbox for brick wall and concrete - Leva5



code CCLV05

Formwork for masonry and concrete, suitable for Leva5. Internal length 157mm - external length 159,4mm



